

DocuPrint M455 df
A4 Monochrome
Multifunction Printer



DocuPrint M455 df Monochrome Multifunction Printer

Simplicity, Mobility
and Convenience



Fuji Xerox DocuPrint M455 df Multifunction Printer

Produce professional-looking documents quickly. With the DocuPrint M455 df multifunction printer, you'll get best-in-class speed¹, expanded capabilities and professional-looking print quality for your busy office.

Your Productive Advantage

With best-in-class¹ speed, print resolution and media capacity, your busy office can maximise workflow and minimise waiting.

- **Built for speed.** Press print and the DocuPrint M455 df is off and running, delivering 45ppm with the first page out in as little as 5 seconds – the quickest monochrome print speeds in its class¹.
- **True multifunction capability.** The icon based, intuitive 4.3-inch colour touch screen on the DocuPrint M455 df lets you program your next job while another is in progress.
- **Digitise...and simplify.** Easily turn cumbersome hard copy forms and documents into portable, digital files. Enjoy the added convenience of sharing your digital files automatically via email. You can even send your files to an established network folder or export them to a USB memory device.
- **Easily scan legal-sized pages.** With the DocuPrint M455 df legal-sized platen, you can scan larger pages without disassembling your bound documents.
- **Expand your capabilities.** Customise to your specific business needs with optional Wi-Fi or SD Card. Plus, three additional trays let you expand your work to fit different paper sizes and stocks, or extend media capacity during peak workloads.
- **Dependable day after day.** Enjoy quick startup and everyday operation. Plus handle device administration remotely from any networked computer's browser with CentreWare[®] IS.

Powerful Capabilities Made Affordable

Even small work teams can benefit from the powerful and affordable options and capabilities delivered by the DocuPrint M455 df.

- **All-in-one savings.** The DocuPrint M455 df combines the functions of a copier, printer, scanner and fax machine into a single value packed unit that can generate savings on energy and supplies costs.
- **Reduce your paper usage.** You'll dramatically cut your paper usage and related costs thanks to automatic two-sided printing. Plus N-up printing saves printing costs, and lets you print multiple pages on one sheet – a useful option when sharing presentations.
- **Freedom, unplugged.** With optional Wi-Fi capabilities, the DocuPrint M455 df is ready to go to work wherever it's needed.
- **Increase your efficiency.** Extra-high capacity toner cartridges allow you to spend less time loading supplies and more time getting work done.
- **Keep your information safe.** Secure Print keeps your sensitive documents out of the wrong hands by requiring users to enter a personal identification number at the device to print documents.

Attention-grabbing Print Quality

No matter what business you're in, the DocuPrint M455 df delivers images that get your work noticed.

- **Crisp details.** Add definition and clarity to your documents with true print resolution of up to 1200 x 1200 dpi. Your printed communications never looked better.
- **Unique Fuji Xerox[®] EA Toner.** Fuses at a much lower temperature, reducing power consumption by up to 20% and CO2 emissions by up to 35%, compared to conventional toner.

Print When and Where You Want

Apple[®] AirPrint[™] lets you print, email and import office documents directly from your mobile iOS device when connected to your office Wi-Fi network. And when working offsite, you can use Google Cloud Print[®] to print documents back at the office so they are waiting for you when you return.



DocuPrint M455 df Quick Facts

- Print up to 45 ppm
- 4.3 inch colour touch screen
- Powerful 525 MHz processor
- Duplex and Network as standard
- Print resolution up to 1200 x 1200 dpi
- Standard 700 sheet media capacity, with a maximum of 2350 sheets.



Print

A4

ppm

WxDxH: 495mm×492mm×549mm




¹ When compared to other A4 Monochrome MFP printers in the same class and similar pricing, as at July 2013



A full productivity toolbox in one powerful device. Choose your task. The Fuji Xerox DocuPrint M455 df Multifunction Printer has the right tools to deliver outstanding performance, so you're more productive and efficient every day.

Extend the life of your toner.

The Toner Saving feature gives users complete control of toner usage by selecting a mode that is most suited to the output that is required. For instance, when printing documents for internal use, you may want to use the lightest setting for maximum toner saving.



Off Light Lighter Lightest



- 1** A 60-sheet Duplex Automatic Document Feeder scans two-sided originals for copy, scan and fax jobs.
- 2** The DocuPrint M455 df includes a 4.3-inch touch screen with easily understood instructions and help screens to streamline walkup operations.
- 3** An easily accessible USB port allows users to quickly print from or scan to a standard USB memory device.
- 4** 250-sheet output tray with tray-full sensor.
- 5** 150-sheet Multipurpose Tray handles media sizes from 76 x 127 mm to 216 x 356 mm.

- 6** With the 550-sheet paper tray, standard paper capacity for the DocuPrint M455 df totals 700 sheets.
- 7** Up to three optional 550-sheet paper trays increase total paper capacity to 2,350 sheets.
- 8** Optional floor mounted stand provides storage for toner cartridges, paper and other supplies.
- 9** Place the DocuPrint M455 df anywhere you need it with the optional Wireless Networking Adapter.

Specifications of DocuPrint M455 df

Print Function

Print Speed (A4)	45ppm
Duplex Print (A4 SEF)	27ppm
Print Resolution	600x600dpi/1200 x 1200 dpi(Low Speed)
First-page-out Time	As fast as 5.0 seconds
Warm-up Time	19.9 seconds
Memory	1GB
Processor	525MHz
PDL	PCL 5/PCL 6/PostScript Level3 Compatible
Connectivity	10BASE-T/100BASE-TX/1000BASE-T/ USB2.0 (Hi-Speed)/ IEEE802.11b/g/n(Optional)
Supported Operating System	Microsoft Windows XP (32bit / 64bit), Server 2003 (32bit / 64bit) Vista (32bit / 64bit), Server 2008 (32bit / 64bit) Server 2008 R2 (64bit), Windows 7 (32bit / 64bit), Windows 8 (32bit / 64bit),Server2012(64bit) Mac OS X 10.4, 10.5, 10.6, 10.7,10.8 Red Hat Enterprise Linux 5/6 (x86) SUSE Linux Enterprise Desktop 10/11 (x86)
Protocol	TCP/IP (IPv4/IPv6, LPD, Port9100, WSD, HTTP, HTTPS, SMTP, RARP, AutoIP, WINS, FTP, Telnet, DNS, DDNS, IPP, SNTIP, SMB, NetBEUI), SNMP, DHCP, BOOTP, Bonjour@(mDNS)
Two-sided printing	Standard
Input Paper Size	Bypass Tray: A4, B5, A5, Legal (8.5 x 14"), Folio, Letter (8.5 x 11"), Executive, C5, Com-10, DL, Monarch, Custom (Width: 76.2 – 215.9 mm, Length: 127 – 355.6mm) Standard 550 sheet tray: A4, B5, A5, Letter (8.5 x 11"), Legal (8.5 x 14"), Executive (7.25 x 10.5"), Folio (8.5 x 13") Custom (Width: 139.7 – 215.9 mm, Length: 210– 355.6mm) Optional 550 sheet feeder: A4, B5, A5, Letter (8.5 x 11"), Legal (8.5 x 14"), Executive (7.25 x 10.5"), Folio (8.5 x 13"), Custom (Width: 139.7 – 215.9 mm, Length: 210– 355.6mm)
Input Media Weight & Type	Plain (60 – 80 gsm), Plain Thick (81 – 105 gsm), Light Card (106 – 163 gsm), Heavy Card (164 – 216 gsm), Envelope, Labels, Letterhead, Hole Punched, Colored
Media Input Capacity	Standard: 700 sheets (550 sheet tray + Bypass tray:150 sheets) Maximum: 2350 sheets (Standard + Optional 550 sheet feederx3)
Media Output Capacity	250 sheets (face down)
Operating Environment	Temperature: 10 - 32 °C; Humidity: 10 - 85 %
Electrical Power	AC 100 - 127 V ± 10%; 11 A or less; both 50/60 Hz ± 3 % AC 220 - 240 V ± 10%; 6 A or less; both 50/60 Hz ± 3 %
Operating Noise (Main Unit Only)	During operation: 7.48B; 55.4dB (A) During stand-by: 5.30B; 26.9dB (A)
Power consumption	Maximum:1070W, Sleep mode:4W or less, Average: During standby: 60W, During continuous printing: 680W
Maximum Volume Capacity	109,000 impressions
Mobile Print Features	Apple® AirPrint, Google Cloud Print, Print Utility for iOS/Android
Dimensions (WxDxH)	495mmx492mmx549mm
Weight	21.5kg
Warranty	1 year on-site warranty

** Declared toner yield in accordance with ISO/IEC 19752. Yield will vary based on image, area coverage and print mode. Printer is shipped with one starter toner cartridge, average yield 10,000 pages.
Initial drum yield: 100,000 pages based on A4 plain paper, 5 % print area coverage, and 5 pages per job.

WSD is available only on Windows Vista®, Windows® 7, Windows Server®, 2008, or Windows Server® 2008 R2.

WiFi Specification (Optional)

Compliant Standard	IEEE802.11b/g/n
Security Protocol	64 (40-bit key)/128 (104-bit key) WEP, WPA- PSK (TKIP, AES), WPA2-PSK (AES)
Certifications	Wifi, WPA2.0 (Personal)
Wifi Protected Setup (WPS)	Push Button Configuration (PBC) Personal Identification Number (PIN)
Copy Function	
Copy Speed	45cpm
Copy Resolution	Default: 600 x 400 dpi Upto 600 x 600 dpi
First-copy-out Time	Document glass: 8.6 seconds DADF: 9.6 seconds
Reduction/Enlargement	25 - 400 %
Continuous Copy	1 -99 pages
Copy Feature	2in1 Copy(ID Card Copy), Auto Duplex Copy, Edge Erase, Collate
Scan Function	
Type	Colour CCD
Scanning Resolution	Up to 1200 x 1200 dpi
Colour Depth	24 bit
Document Size	Platen: 215.9x355.6 mm DADF:215.9x355.6 mm
Scanning Speed	DADF Simplex: 40 sheets/minute (Mono/Colour) DADF Duplex: 25 sheets/minute (Mono/Colour)
Scan Destinations	E-mail, FTP/SMB, USB memory, scan to email
Supported Driver	TWAIN, Twain-Net, WIA(WSD Scan)
Fax Function	
Compatibility	ITU-T Super G3, ITU-T G3 ECM, ITU-T G3
Communication System	PSTN, PBX, Leased line (3.4 kHz/2-wire)
Transmission Speed	Up to 33.6 kbps
Memory Capacity	4MB
Fax Resolution	400 x 400 dpi (Max)
Speed Dials	Up to 200 locations
Fax Features	DirectFax, Secure Fax Receive, Fax forward to E-mail, Fax forward to FTP/SMB

Options

550 Sheet Feeder	EL300841
Cabinet	EL500264
Wireless Network Kit b/g/n	EL500261
SD card	EL300886

Consumables

Toner Cartridge (25K)	CT201949
-----------------------	----------

Additional Supplies

Drum Cartridge (up to 100,000** pages)	CT350976
Maintenance Kit (220V) (up to 200,000** pages)	EL300846

Descriptions in this material, product specifications and/or appearances are subject to change without prior notice due to improvements. Please note that the product colour appears differently from the actual colour as a result of properties of papers or printing ink. Windows is registered trademark of Microsoft Corporation. Macintosh, Mac OS and Ether Talk are trademarks of Apple Computer, Inc. Other company names or product names are registered trademarks or trademarks of each company. WSD is a registered trademark of Microsoft Corporation.



For Your Safe Use

Before using the product, read the Instruction Manual carefully for proper use.
Use the product with an appropriate adequate power source and voltage displayed.
Be sure to establish a ground.
In the case of a failure or short circuit, an electric shock may result.

For more information or detailed product specifications, please call or visit us at

Fuji Xerox Australia. ABN 63 000 341 819.
101 Waterloo Rd, Macquarie Park NSW 2113,
Phone (02) 9856 5000 Fax (02) 9856 5003

13 14 12

<http://www.fujixerox.com.au>



Reproduction Prohibitions Please note that reproduction of the following is prohibited by law. Domestic and overseas bank notes and coins, government-issued securities, national bonds and local bond certificates. Unused postage stamps and post cards. Certificate stamps stipulated by law. The reproduction of works for copyright purposes (literary works, musical works, paintings, engravings, maps, cinematographic works, photographic works, etc.) is prohibited except when they are reproduced personally, at home or within limited range according to the above. This product is equipped with an anti-counterfeit feature. This feature is not intended to prevent illegal reproduction. Be extremely careful about the management of equipment used.

